Carport Checklist

All Carports must be permitted before any construction takes place

If the carport is wholly behind the building line setback then the process is as follows:

- 1) Submit a site plan (Drawing) to the Community Development Department including approximate cost
- 2) Upon approval of the site plan a permit will be issued

If any part of the carport is to be in front of the building line setback then the process is as follows:

- 1) Submit a site plan (Drawing) to the Community Development Department including approximate cost
- 2) The Community Development Department will either send the plans to the Zoning Board of Administration (ZBA) or reject them due to building code, city ordinances and other factors.
- 3) Once approved by the ZBA, the plans will have final approval from the Community Development Department and a permit may be issued

The following is a guideline to the information required:

List how many carports are on your block, include the associated addresses:		
Dimens	sions and location of proposed carport:	
0	Highest and lowest roof point	
0	Length and Width of structure	
Type of material and dimensions of material:		
0	Wood or metal	
0	Size of all materials being used	
Spans between/of material:		
0	Rafters	
0	Beams	
0	Trusses	
0	Joists	
Dimensions of footing:		
0	Depth	
0	Width	
Method of Anchoring		
Paved Driveway Labeled		
Distanc	Distance from:	
0	Lot lines	
0	Right of way	

Once a permit is issued, a copy of the permit and the site plan must be available at all times as soon as construction begins


Questions? Call Community Development @ 806-296-1100

Site Plan Example

Must be drawn on 8.5"x11" paper or larger | May be hand drawn or digital


X = Dimension in feet

(Maximum dimension of any structure requiring a Special Exception is 20'x20')



***25' Minimum front setback from property line to build line

Site Plan Example



Please draw your best representation of what you will be building